

Tax Map ID#038.-01-36.0

NOTICE OF HEARING

PLEASE TAKE NOTICE that pursuant to Section 148-9, 148-12, 148-13, 148-14, 148-15, 148-16, 148-18, 148-20, 148-21, 148-29, and 148-36 of the Zoning Law of the Town of Skaneateles and Section 274-a and 274-b Town Law of the State of New York, the Planning Board of the Town of Skaneateles will hold a Public Hearing on the application of Anne Scholl for a Special Permit/Site Plan Review.

The proposal is for modifications to shoreline structures including the replacement of the existing shoreline stairs and retaining wall.

The property in question is located at 2713 East Lake Road in the Town of Skaneateles, New York and bears Tax Map ID#038.-01-36.0.

A copy of the application is available for inspection at the Town Hall, 24 Jordan Street, Skaneateles, New York.

SAID HEARING will be held on *Tuesday, April 19, 2022 at 6:40 p.m.* at the Town Offices, 24 Jordan Street, Skaneateles, New York or electronically as required by local and/or Executive Orders applicable to COVID 19. At that time all persons will be heard or have an opportunity to provide written comment on this application.

Donald Kasper, Chair
Planning Board -Town of Skaneateles
Dated: April 6, 2022

EGGLESTON & KRENZER ARCHITECTS, PC
The Trolley Bldg
1391 East Genesee Street
Skaneateles, New York 13152

March 1, 2022

Town of Skaneateles Planning Board
24 Jordan Street
Skaneateles, NY 13152

Re: Anne Scholl - Site Plan Review and Special Permit
2713 East Lake Road
Tax Map # 038.-01-36.0

NARRATIVE

The Scholl property is 11,872 SF in lot area, has 74.7 ft of lake frontage and 70 ft of road frontage on East Lake Road in the RF District and Skaneateles Lake watershed. The property has a single family dwelling, attached garage, patio, steps, shoreline deck and retaining walls. The ISC is 14.9% and TSC is 21.1% where as 10% and 20% is required. The total shoreline structures are 495 SF. The property is served by an onsite septic system and draws water from the lake. The wood deck is in poor condition and below the 100 year flood level The retaining wall is in structural disrepair with a significant bow in it.

This application is to replace the timber retaining wall in kind, using steel piles to support the new timber, 8 ft o.c. The north set of stairs will be eliminated and the center steps replace with permeable timber steps. The lake deck and lawn area will be brought up to 867.0 elevation, 100 year flood level, or about one foot of height. The deck will be rebuilt, same size. The plantings on the steep slopes will be re-established as required after the wall is completed.



The total shoreline structures will be reduced to 444 SF. The ISC will be reduced to 14.6% and TSC to 20.6%. This is not Redevelopment in that no new structure footprint is being added. Most of the work will be done from the lake via barge during low lake levels. Silt curtains or sediment logs will be placed below the work areas to control any potential erosion.

CONSTRUCTION SEQUENCE

- 1) Install silt fence/sediment logs, maintain during construction.
- 2) Mark the septic leach field area to prevent construction traffic and staging from passing over it.
- 3) Remove the existing wood deck.
- 4) During low lake levels, remove the existing retaining wall and set new steel piles. Install new timber wall between piles for new retaining walls.
- 5) Place filter fabric and backfill with stone.
- 6) Add two courses of timber to deck seawall and rebuild deck.
- 7) Add topsoil, plant landscape and mulch. Place sod in lawn area. Water during dry periods.
- 8) After lawn and landscaping is established, remove silt fence, patch disturbed areas.

(315) 685-8144

Member of the American Institute of Architects



SITE PLAN

1" = 20'-0"

IMPERMEABLE COVERAGE	
EXIST.	PROPOSED
HOUSE/PORCH	1167 SF
DRIVEWAY	320 SF
SIDEWALK	86 SF
LAKE STAIRS	31 SF
STEPS	78 SF
SHED	81 SF
TOTAL	1761 SF
% IMPERMEABLE	14.9 %

PERMEABLE COVERAGE	
EXIST.	PROPOSED
FIRE PIT	8 SF
PATIO	356 SF
STAIRS	51 SF
LAKE DECK	324 SF
PERMEABLE	739 SF
IMPERMEABLE	1761 SF
TOTAL	2500 SF
% T&C	21.1 %

LAKE FRONT STRUCTURES	
EXIST.	PROPOSED
FIRE PIT	8 SF
STAIRS	82 SF
LAKE DECK	324 SF
SHED	81 SF
TOTAL	495 SF

SITE INFORMATION IS OBTAINED FROM SURVEY DONE BY JAMES J. MARRIN, P.L.S., DATED 2/08/2002 ADDITIONAL INFORMATION BY EGGLESTON & KRENZER ARCHITECTS, P.C.



SITE PLAN
 ANNE SCHOLL
 2713 E. LAKE RD
 TN. OF SKANEATELES, NY

architect
 EGGLESTON & KRENZER, ARCHITECTS PC
 1391 EAST GENESSEE STREET
 SKANEATELES, NY 13152
 (315) 685-8144

PROJ: 22031

DATE:
 1 MAR 2022

Handwritten signature